

# Issue IV: Higher Inductive Types

Maxim Sokhatsky <sup>1</sup>

<sup>1</sup> National Technical University of Ukraine  
Igor Sikorsky Kyiv Polytechnical Institute  
August 19, 2018

## Abstract

CW-complexes are fundamental objects in homotopy type theory and even included inside cubical type checker in a form of higher inductive types (HIT). Just like regular (co)-inductive types could be described as recursive terminating (well-founded) or non-terminating trees, higher inductive types could be described as CW-complexes. Defining HIT means to define some CW-complex directly using cubical homogeneous composition structure as an element of initial algebra inside cubical model.

**Keywords:** Collular Piecewise Topology, Cubical Type Theory, Higher Inductive Types

## Contents

1	Higher Inductive Types	2
2	CW-Complexes	2

# 1 Higher Inductive Types

CW-complexes are fundamental objects in homotopy type theory and even included inside cubical type checker in a form of higher (co)-inductive types (HITs). Just like regular (co)-inductive types could be described as recursive terminating (well-founded) or non-terminating trees, higher inductive types could be described as CW-complexes. Defining HIT means to define some CW-complex directly using cubical homogeneous composition structure as an element of initial algebra inside cubical model.

**Definition 1.** (Pushout). One of the notable examples is pushout as it's used to define the cell attachment formally, as others cofibrant objects.

```
data pushout (A B C: U) (f: C -> A) (g: C -> B)
  = po1 (-: A)
  | po2 (-: B)
  | po3 (c: C) <i> [ (i = 0) -> po1 (f c) ,
                    (i = 1) -> po2 (g c) ]
```

**Definition 2.** (Spheres and Disks). Here are some example of using dimensions to construct spherical shapes.

```
data S1
  = base
  | loop <i> [ (i = 0) -> base ,
              (i = 1) -> base ]
```

```
data S2
  = point
  | surf <i j> [ (i = 0) -> point , (i = 1) -> point ,
                (j = 0) -> point , (j = 1) -> point ]
                (j = 0) -> point , (j = 1) -> point ]
```

# 2 CW-Complexes

The definition of homotopy groups, a special role is played by the inclusions  $S^{n-1} \hookrightarrow D^n$ . We study spaces obtained iterated attachments of  $D^n$  along  $S^{n-1}$ .

**Definition 3.** (Attachment). Attaching n-cell to a space  $X$  along a map  $f : S^{n-1} \rightarrow X$  means taking a pushout figure.

$$\begin{array}{ccc} S^{n-1} & \xrightarrow{k} & X \\ \downarrow & & \downarrow \\ D^n & \xrightarrow{g} & X \cup_f D^n \end{array}$$

where the notation  $X \cup_f D^n$  means result depends on homotopy class of  $f$ .

**Definition 4.** (CW-Complex). Inductively. The only CW-complex of dimension  $-1$  is  $\emptyset$ . A CW-complex of dimension  $\leq n$  on  $X$  is a space  $X$  obtained by attaching a collection of  $n$ -cells to a CW-complex of dimension  $n - 1$ .

A CW-complex is a space  $X$  which is the *colimit*( $X_i$ ) of a sequence  $X_{-1} = \emptyset \hookrightarrow X_0 \hookrightarrow X_1 \hookrightarrow X_2 \hookrightarrow \dots X$  of CW-complexes  $X_i$  of dimension  $\leq n$ , with  $X_{i+1}$  obtained from  $X_i$  by  $i$ -cell attachments. Thus if  $X$  is a CW-complex, it comes with a filtration

$$\emptyset \hookrightarrow X_0 \hookrightarrow X_1 \hookrightarrow X_2 \hookrightarrow \dots X$$

where  $X_i$  is a CW-complex of dimension  $\leq i$  called the  $i$ -skeleton, and hence the filtration is called the skeletal filtration.